

# 210 Motor Carrier Freight Details and Invoice

X12/V4010/210: 210 Motor Carrier Freight Details and Invoice

### **Table of Contents**

210	Мо	otor Carrier Freight Details and Invoice	1
ı	SA	Interchange Control Header	2
(	GS	Functional Group Header	4
;	ST	Transaction Set Header	6
ı	В3	Beginning Segment for Carrier's Invoice	7
	N9	Reference Identification	9
	R3	Route Information - Motor	10
(	0100	Loop Name	11
ı	N1	Name	12
ı	N3	Address Information	13
ı	N4	Geographic Location	14
(	0400	Loop Assigned Number	15
ı	LX	Assigned Number	16
ı	L5	Description, Marks and Numbers	17
ı	L0	Line Item - Quantity and Weight	18
	L1	Rate and Charges	19
	<b>L7</b>	Tariff Reference	21
	L3	Total Weight and Charges	22
;	SE	Transaction Set Trailer	23
(	GE	Functional Group Trailer	24
	E A	Interchange Control Trailer	25

Used

### 210 Motor Carrier Freight Details and Invoice

### Functional Group=

Geographic Location

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Motor Carrier Freight Details and Invoice Transaction Set (210) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide detail information for charges for services rendered by a motor carrier. It is used both as a motor carrier invoice to request payment or as details pertaining to motor freight shipment(s) charges.

#### **Not Defined:**

<u>Pos</u>	<u>ld</u> ISA GS	Segment Name Interchange Control Header Functional Group Header	Req M M	Max Use 1 1	Repeat	<u>Notes</u>	<u>Usage</u> Must use Must use			
Heading:										
<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>			
010	ST	Transaction Set Header	M	1			Must use			
020	В3	Beginning Segment for Carrier's Invoice	М	1			Must use			
060	N9	Reference Identification	0	300			Used			
080	R3	Route Information - Motor	0	12			Used			
LOOP	ID - 0100				<u>10</u>					
110	N1	Name	0	1			Used			
130	N3	Address Information	0	2			Used			

0

#### Detail:

140

N4

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP	ID - 0400	0			<u>9999</u>		
120	LX	Assigned Number	0	1			Used
140	L5	Description, Marks and Numbers	0	30			Used
170	L0	Line Item - Quantity and Weight	0	10			Used
180	L1	Rate and Charges	0	10			Used
200	L7	Tariff Reference	0	10			Used

#### **Summary:**

<u>Pos</u>	<u>ld</u>	<u>Segment Name</u>	Req	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	L3	Total Weight and Charges	0	1			Used
020	SE	Transaction Set Trailer	M	1			Must use

#### **Not Defined:**

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	М	1			Must use
	IEA	Interchange Control Trailer	М	1			Must use

OB210 1 X12V4010

### **ISA** Interchange Control Header

Pos: Max: 1
Not Defined - Mandatory
Loop: N/A Elements: 16

User Option (Usage): Must use

**Purpose:** To start and identify an interchange of zero or more functional groups and interchange-related control segments

#### **Element Summary:**

Ref ISA01	<u>ld</u> 101	Element Name Authorization Information Qualifier	<u>Req</u> M	<u>Type</u> ID	<u>Min/Max</u> 2/2	<u>Usage</u> Must use	
ISAUT	101						
		<b>Description:</b> Code to identify the type of					
ISA02	102	Authorization Information	M	AN	10/10	Must use	
		<b>Description:</b> Information used for addition interchange sender or the data in the inter Authorization Information Qualifier (I01)					
ISA03	103	Security Information Qualifier	М	ID	2/2	Must use	
		Description: Code to identify the type of	informatio	on in the	Security Infor	mation	
ISA04	104	Security Information	М	AN	10/10	Must use	
		<b>Description:</b> This is used for identifying the sender or the data in the interchange; the Information Qualifier (I03)					
ISA05	105	Interchange ID Qualifier	М	ID	2/2	Must use	
	<b>Description:</b> Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified						
ISA06	106	Interchange Sender ID	М	AN	15/15	Must use	
		<b>Description:</b> Identification code published receiver ID to route data to them; the send element					
ISA07	105	Interchange ID Qualifier	М	ID	2/2	Must use	
		<b>Description:</b> Qualifier to designate the sy the sender or receiver ID element being q		thod of o	code structure	used to designate	
ISA08	107	Interchange Receiver ID	М	AN	15/15	Must use	
		<b>Description:</b> Identification code published used by the sender as their sending ID, the receiving ID to route data to them					
ISA09	108	Interchange Date	М	DT	6/6	Must use	
		Description: Date of the interchange					
ISA10	109	Interchange Time	М	TM	4/4	Must use	
		Description: Time of the interchange					
ISA11	I10	Interchange Control Standards Identifier	М	ID	1/1	Must use	

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
		<b>Description:</b> Code to identify the agency message that is enclosed by the interchange	•			ard used by the
ISA12	l11	Interchange Control Version Number	М	ID	5/5	Must use
		Description: Code specifying the version	number	of the int	erchange contr	ol segments
ISA13	l12	Interchange Control Number	М	N0	9/9	Must use
		Description: A control number assigned b	y the int	erchange	e sender	
ISA14	I13	Acknowledgment Requested	М	ID	1/1	Must use
		<b>Description:</b> Code sent by the sender to r	equest a	an interch	nange acknowle	edgment (TA1)
ISA15	l14	Usage Indicator	М	ID	1/1	Must use
		<b>Description:</b> Code to indicate whether dat production or information	ta enclos	sed by th	is interchange	envelope is test,
ISA16	l15	Component Element Separator	М		1/1	Must use
		Description: Type is not applicable; the co	omponer	nt elemer	nt separator is a	a delimiter and

element separator and the segment terminator

not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data

OB210 3 X12V4010

### **GS** Functional Group Header

Pos: Max: 1 Not Defined - Mandatory Loop: N/A Elements: 8

User Option (Usage): Must use

Purpose: To indicate the beginning of a functional group and to provide control information

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>		
GS01	479	Functional Identifier Code	М	ID	2/2	Must use		
		Description: Code identifying a group of application related transaction sets						
		Code Name  IM Motor Carrier Freight Details and Inv	voice (2	10, 980)				
GS02	142	Application Sender's Code	М	AN	2/15	Must use		
		<b>Description:</b> Code identifying party sendin partners	ig transr	nission; (	codes agreed t	to by trading		
GS03	124	Application Receiver's Code	М	AN	2/15	Must use		
		<b>Description:</b> Code identifying party receiving partners	ng trans	smission;	codes agreed	to by trading		
GS04	373	Date	М	DT	8/8	Must use		
		<b>Description:</b> Date expressed as CCYYMM	IDD					
GS05	337	Time	М	TM	4/8	Must use		
		<b>Description:</b> Time expressed in 24-hour cl HHMMSSD, or HHMMSSDD, where H = ho seconds (00-59) and DD = decimal second = tenths (0-9) and DD = hundredths (00-99)	ours (00 s; decin	-23), M =	minutes (00-5	9), S = integer		
GS06	28	Group Control Number	М	N0	1/9	Must use		
		Description: Assigned number originated	and mai	intained b	y the sender			
GS07	455	Responsible Agency Code	М	ID	1/2	Must use		
		<b>Description:</b> Code identifying the issuer of with Data Element 480	f the sta	ndard; th	is code is used	d in conjunction		
GS08	480	Version / Release / Industry Identifier Code	М	AN	1/12	Must use		

**Description:** Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

#### Code Name

004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997

#### **Semantics:**

OB210 4 X12V4010

- 1. GS04 is the group date.
- 2. GS05 is the group time.
- 3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

#### **Comments:**

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

### **ST** Transaction Set Header

Pos: 010 Max: 1 Heading - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	М	ID	3/3	Must use
		<b>Description:</b> Code uniquely identifying a	Transact	ion Set		
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transfunctional group assigned by the originator for a transaction set					insaction set	

#### **Semantics:**

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

## **B3** Beginning Segment for Carrier's Invoice

Pos: 020 Max: 1 Heading - Mandatory Loop: N/A Elements: 9

User Option (Usage): Must use

Purpose: To transmit basic data relating to the carrier's invoice

#### **Element Summary:**

<u>Ref</u> B302	<u>ld</u> 76	Element Name Invoice Number	<u>Req</u> M	<u>Type</u> AN	Min/Max 1/22	<u>Usage</u> Must use				
		<b>Description:</b> Identifying number assigned <b>Notes:</b> DYLT Pro number	<b>Description:</b> Identifying number assigned by issuer <b>Notes:</b> DYLT Pro number							
B303	145	Shipment Identification Number	0	AN	1/30	Used				
		identifies the shipment from origin to ultima	<b>Description:</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification (Does not contain blanks or special characters)							
B304	146	Shipment Method of Payment	М	ID	2/2	Must use				
		Description: Code identifying payment ter	Description: Code identifying payment terms for transportation charges							
		CodeNameCCCollectPPPrepaid (by Seller)TPThird Party Pay								
B306	373	Date	М	DT	8/8	Must use				
		Description: Date expressed as CCYYMM	IDD							
B307	193	Net Amount Due	М	N2	1/12	Must use				
		<b>Description:</b> Total charges to be paid by the standard monetary denomination for the				et expressed in				
B308	202	Correction Indicator	0	ID	2/2	Used				
		<b>Description:</b> Code used to indicate that th corrects previous information	e transa	ction set	contains infor	mation which				
B309	32	Delivery Date	Χ	DT	8/8	Used				
		<b>Description:</b> Date for delivery of cargo to f format CCYYMMDD	inal con	signee o	r to next mode	expressed in				
B310	374	Date/Time Qualifier	Χ	ID	3/3	Used				
		<b>Description:</b> Code specifying type of date	or time,	or both	date and time					
B311	140	Standard Carrier Alpha Code	М	ID	2/4	Must use				
		<b>Description:</b> Standard Carrier Alpha Code <b>Notes:</b> DYLT								

#### **Syntax Rules:**

1. P0910 - If either B309 or B310 is present, then the other is required.

OB210 7 X12V4010

- 1. B306 is the billing date.
- 2. On collect freight bills the data in B309 will be the actual delivery date. For the shipments invoiced prior to delivery, the B309 will be the estimated date of delivery.
- 3. If B314 is used, B304 will indicate the party or parties responsible for payment of the transportation terms identified in B314.

### N9 Reference Identification

Pos: 060 Max: 300 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
N901	128	Reference Identification Qualifier	М	ID	2/3	Must use
		Description: Code qualifying the Reference	e Identi	fication		
		Code Name				
		BM Bill of Lading Number				
		PO Purchase Order Number				
N902	127	Reference Identification	Χ	AN	1/30	Used
		<b>Description:</b> Reference information as defi specified by the Reference Identification Qu		a particu	lar Transaction	Set or as

#### **Syntax Rules:**

- 1. R0203 At least one of N902 or N903 is required.
- 2. C0605 If N906 is present, then N905 is required.

- 1. N906 reflects the time zone which the time reflects.
- 2. N907 contains data relating to the value cited in N902.

### **R3** Route Information - Motor

Pos: 080 Max: 12 Heading - Optional Loop: N/A Elements: 2

User Option (Usage): Used

Purpose: To specify carrier and routing sequences and details

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
R301	140	Standard Carrier Alpha Code	М	ID	2/4	Must use
		<b>Description:</b> Standard Carrier Alpha Code <b>Notes:</b> DYLT				
R302	133	Routing Sequence Code	М	ID	1/2	Must use
		<b>Description:</b> Code describing the relations	hip of a	carrier to	a specific sh	ipment movement
		Code Name				
		S Origin Carrier, Shipper's Routing (Ra	ail)			

#### **Syntax Rules:**

- 1. C1110 If R311 is present, then R310 is required.
- 2. C1211 If R312 is present, then R311 is required.

- 1. R303 is the station or city name at which carriers interchange shipments
- 2. R307 is the carrier's billing date.
- 3. R308 is the amount due the carrier.

### **Loop Name**

Pos: 110 Repeat: 10 Optional

Loop: 0100 Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Loop Summary:**

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	<u>Repeat</u>	<u>Usage</u>
110	N1	Name	0	1		Used
130	N3	Address Information	Ο	2		Used
140	N4	Geographic Location	0	1		Used

### N1 Name

Pos: 110 Max: 1 Heading - Optional Loop: 0100 Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N101	98	Entity	Identifier Code	M	ID	2/3	Must use
		<b>Descr</b> individ	<b>iption:</b> Code identifying an organizati lual	ional en	tity, a phy	sical location,	property or an
		<u>Code</u>	<u>Name</u>				
		BT	Bill-to-Party				
		CN	Consignee				
		SH	Shipper				
N102	93	Name		Χ	AN	1/60	Used
		Descr	iption: Free-form name				

#### **Syntax Rules:**

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

#### **Comments:**

- 1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

### **N3** Address Information

Pos: 130 Max: 2 Heading - Optional Loop: 0100 Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<b>Type</b>	Min/Max	<u>Usage</u>
N301	166	Address Information	М	AN	1/55	Must use
		<b>Description:</b> Address information				
N302	166	Address Information	0	AN	1/55	Used
		<b>Description:</b> Address information				

### N4 Geographic Location

Pos: 140 Max: 1 Heading - Optional Loop: 0100 Elements: 3

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
N401	19	City Name	0	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	0	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Provin agency	ce) as d	efined by	/ appropriate g	overnment
N403	116	Postal Code	0	ID	3/15	Used
		<b>Description:</b> Code defining international p	ostal zo	ne code	excluding pund	tuation and

#### **Syntax Rules:**

1. C0605 - If N406 is present, then N405 is required.

#### **Comments:**

- 1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
- 2. N402 is required only if city name (N401) is in the U.S. or Canada.

### **Loop Assigned Number**

Pos: 120 Repeat: 9999 Optional

Loop: 0400 Elements: N/A

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

#### **Loop Summary:**

<u>Pos</u>	<u>ld</u>	Segment Name	<u>Req</u>	Max Use	Repeat	<u>Usage</u>
120	LX	Assigned Number	0	1		Used
140	L5	Description, Marks and Numbers	0	30		Used
170	L0	Line Item - Quantity and Weight	0	10		Used
180	L1	Rate and Charges	0	10		Used
200	L7	Tariff Reference	0	10		Used

### **LX** Assigned Number

Pos: 120 Max: 1
Detail - Optional
Loop: 0400 Elements: 1

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>
LX01	554	Assigned Number	М	N0	1/6	Must use

Description: Number assigned for differentiation within a transaction set

## L5 Description, Marks and Numbers

Pos: 140 Max: 30 Detail - Optional Loop: 0400 Elements: 2

User Option (Usage): Used

Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<b>Type</b>	Min/Max	<u>Usage</u>
L501	213	Lading Line Item Number	0	N0	1/3	Used
		Description: Sequential line number for a	lading if	tem		
L502	79	Lading Description	0	AN	1/50	Used
		Description: Description of an item as re-	quired fo	r rating a	nd billing purpo	ses

### Syntax Rules:

- 1. P0304 If either L503 or L504 is present, then the other is required.
- 2. C0706 If L507 is present, then L506 is required.
- 3. P0809 If either L508 or L509 is present, then the other is required.

#### **Comments:**

1. L502 may be used to send quantity information as part of the product description.

## L0 Line Item - Quantity and Weight

Pos: 170 Max: 10 Detail - Optional Loop: 0400 Elements: 5

User Option (Usage): Used

Purpose: To specify quantity, weight, volume, and type of service for a line item including applicable

"quantity/rate-as" data

#### **Element Summary:**

<u>Ref</u> L001	<u>ld</u> 213	Element Name Lading Line Item Number	<u>Req</u> O	<u>Type</u> N0	Min/Max 1/3	<u>Usage</u> Used
		Description: Sequential line number for a	lading it	em		
L004	81	Weight	Χ	R	1/10	Used
		Description: Numeric value of weight				
L005	187	Weight Qualifier	Χ	ID	1/2	Used
		Description: Code defining the type of we	ight			
		CodeNameFDeficit WeightGGross Weight				
L008	80	Lading Quantity	Х	N0	1/7	Used
		Description: Number of units (pieces) of the	ne ladin	g commo	dity	
L009	211	Packaging Form Code	Χ	ID	3/3	Used
		Description: Code for poeks sing forms of the	منام ما اما			

Description: Code for packaging form of the lading quantity

#### Syntax Rules:

- 1. P0203 If either L002 or L003 is present, then the other is required.
- 2. P0405 If either L004 or L005 is present, then the other is required.
- 3. P0607 If either L006 or L007 is present, then the other is required.
- 4. P0809 If either L008 or L009 is present, then the other is required.
- 5. C1104 If L011 is present, then L004 is required.
- 6. P1315 If either L013 or L015 is present, then the other is required.

#### **Semantics:**

- 1. L008 is the number of handling units of the line item tendered to the carrier.
- 2. L013 can only be used if the code in L009 is PLT, SKD, or SLP.
- 3. L015 designates whether the carrier will be required to verify the number of units contained on a pallet, slip sheet or skid. Code "Y" indicates that the carrier will be required to verify. Code "N" indicates that the carrier will not be required to verify.

#### Comments:

1. L013 is used to convey the total number of boxes, cartons, or pieces contained on a pallet, skid, or slip sheet for the line item.

### L1 Rate and Charges

Pos: 180 Max: 10
Detail - Optional
Loop: 0400 Elements: 5

User Option (Usage): Used

**Purpose:** To specify rate and charges detail relative to a line item including freight charges, advances, special charges, and entitlements

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	
L101	213	Lading Line Item Number	0	N0	1/3	Used	
		Description: Sequential line number for a	lading it	em			
L102	60	Freight Rate	X	R	1/9	Used	
		<b>Description:</b> Rate that applies to the spec	ific com	modity			
L103	122	Rate/Value Qualifier	Х	ID	2/2	Used	
		<b>Description:</b> Code qualifying how to exter	nd charge	es or inte	rpret value		
		CodeNameFRFlat RateMNMinimumPHPer Hundred (of Basic Unit)PUPer UnitPWPercentage of Charges					
L104	58	Charge	Χ	N2	1/12	Used	
		<b>Description:</b> For a line item: freight or special charge; for the total invoice: the charges expressed in the standard monetary denomination for the currency s					
L108	150	Special Charge or Allowance Code	0	ID	3/3	Used	
		Description: Code identifying type of spec	cial charç	ge or allo	wance		
		ADV Advances APT Appointment (Notification) BND Bond Charges COL Fee for Collecting COD Charge DIV Diversion and Reconsignment DTU Detention Unloading EIC Export/Import Charge EVC Excessive Value Charge FUE Fuel Charge HAN Handling Charges on Distribution F HAZ Hazardous Cargo Charge IDL Inside Delivery IPU Inside Pick-up LAB Extra Labor (Helper Service) LFT Lift Gate (Truck) or Forklift Service of the control of the contr					

<u>Code</u>	<u>Name</u>
MRK	Marking or Tagging Charge
MSC	Other Accessorial Service Charge
RCL	Redelivery
REP	Residential Pick-up
RES	Residential Delivery
SEG	Segregating (Sorting)
SER	Service Charge
SRG	Storage
WTV	Weight Verification Charge

#### **Syntax Rules:**

- 1. P0203 If either L102 or L103 is present, then the other is required.
- 2. R040506 At least one of L104, L105 or L106 is required.
- 3. P1415 If either L114 or L115 is present, then the other is required.
- 4. P1718 If either L117 or L118 is present, then the other is required.

- 1. L119 is the percent used to determine the charge in L104.
- 2. L120, if used, indicates the currency for all monetary amounts in this L1 segment.
- 3. L121 is the origin rated as charge amount.

### L7 Tariff Reference

Pos: 200 Max: 10
Detail - Optional
Loop: 0400 Elements: 2

User Option (Usage): Used

Purpose: To reference details of the tariff used to arrive at applicable rates or charge

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<b>Type</b>	Min/Max	<u>Usage</u>
L701	213	Lading Line Item Number	0	N0	1/3	Used
		<b>Description:</b> Sequential line number for a	lading it	em		
L707	59	Freight Class Code	0	AN	2/5	Used

**Description:** Code indicating generalized classification that applies to one or more items in

the shipment, i.e., class 70, 77.5, etc.

- 1. L710 is the effective date.
- 2. In L715 and L716, "City" and "State" are used for rate combination city and state.

### **L3** Total Weight and Charges

Pos: 010 Max: 1 Summary - Optional Loop: N/A Elements: 5

User Option (Usage): Used

**Purpose:** To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

#### **Element Summary:**

<u>Ref</u> L301	<u>ld</u> 81	Element Name Weight	Req X	<u>Type</u> R	Min/Max 1/10	<u>Usage</u> Used
		Description: Numeric value of weight				
L302	187	Weight Qualifier	X	ID	1/2	Used
		Description: Code defining the type of we	ight			
		CodeNameGGross Weight				
L305	58	Charge	0	N2	1/12	Used
		<b>Description:</b> For a line item: freight or spe charges expressed in the standard mone		•		
L311	80	Lading Quantity	0	N0	1/7	Used
		Description: Number of units (pieces) of the	ne ladin	g commo	dity	
L312	188	Weight Unit Code	0	ID	1/1	Used
		Description: Code specifying the weight u	nit			

#### **Syntax Rules:**

- 1. P0102 If either L301 or L302 is present, then the other is required.
- 2. P0304 If either L303 or L304 is present, then the other is required.
- 3. P0910 If either L309 or L310 is present, then the other is required.
- 4. C1201 If L312 is present, then L301 is required.
- 5. P1415 If either L314 or L315 is present, then the other is required.

#### **Semantics:**

1. L305 is the total charges.

### **SE** Transaction Set Trailer

Pos: 020 Max: 1 Summary - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>		
SE01	96	Number of Included Segments	М	N0	1/10	Must use		
		<b>Description:</b> Total number of segments inconsegments	cluded ir	n a trans	action set inclu	ding ST and SE		
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use		
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

#### **Comments:**

1. SE is the last segment of each transaction set.

### **GE** Functional Group Trailer

Pos: Max: 1 Not Defined - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of a functional group and to provide control information

#### **Element Summary:**

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>
GE01	97	Number of Transaction Sets Included	М	N0	1/6	Must use
		<b>Description:</b> Total number of transaction s interchange (transmission) group terminate			•	•
GE02	28	Group Control Number	М	N0	1/9	Must use
		Description: Assigned number originated	and mai	ntainad h	u the conder	

Description: Assigned number originated and maintained by the sender

#### **Semantics:**

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

#### **Comments:**

 The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

### **IEA** Interchange Control Trailer

Pos: Max: 1
Not Defined - Mandatory
Loop: N/A Elements: 2

User Option (Usage): Must use

**Purpose:** To define the end of an interchange of zero or more functional groups and interchange-related control segments

#### **Element Summary:**

Ref	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	
IEA01	I16	Number of Included Functional Groups	M	N0	1/5	Must use	
		Description: A count of the number of fund	ctional g	roups in	cluded in an in	terchange	
IEA02	l12	Interchange Control Number	М	N0	9/9	Must use	
		Description: A control number assigned by the interchange sender					